

Table 4B
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 9 / 13 / 12

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adams	7,954	22.4	1.5	71.9	0.8	2.1	1.3	0.0
Alamosa	839	26.1	0.4	71.8	0.8	0.1	0.8	0.0
Arapahoe	10,037	18.9	16.8	55.8	0.8	4.1	3.6	0.0
Archuleta	243	35.0	0.8	59.3	0.8	0.4	3.7	0.0
Baca	92	*	*	*	*	*	*	*
Bent	94	*	*	*	*	*	*	*
Boulder	2,488	25.4	0.8	68.4	0.4	2.6	2.4	0.0
Broomfield	314	41.7	0.6	50.3	0.6	3.2	3.5	0.0
Chaffee	206	62.6	0.5	22.3	1.5	1.0	12.1	0.0
Clear Crk	103	87.4	0.0	7.8	1.0	1.0	2.9	0.0
Crowley	43	*	*	*	*	*	*	*
Custer	22	*	*	*	*	*	*	*
Delta	391	47.8	0.8	49.4	1.0	0.5	0.5	0.0
Denver	9,715	9.3	14.0	71.0	1.3	2.5	1.9	0.0
Dolores	36	*	*	*	*	*	*	*
Douglas	1,019	59.1	2.4	30.5	0.6	2.1	5.4	0.0
Eagle	918	7.6	0.5	91.7	0.0	0.1	0.0	0.0
El Paso	10,049	46.0	8.0	38.6	0.5	1.3	5.6	0.0
Elbert	34	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 9 / 13 / 12

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Fremont	700	80.3	0.3	17.7	0.1	0.0	1.4	0.1
Garfield	1,222	19.9	0.3	77.1	0.4	0.2	2.0	0.0
Gilpin	13	*	*	*	*	*	*	*
Grand	145	57.9	0.0	40.7	0.0	0.0	1.4	0.0
Gunnison	223	56.1	0.0	42.2	0.9	0.0	0.9	0.0
Huerfano	96	*	*	*	*	*	*	*
Jackson	24	*	*	*	*	*	*	*
Jefferson	4,596	44.7	2.4	47.7	0.9	2.1	2.0	0.0
Kiowa	12	*	*	*	*	*	*	*
La Plata	742	40.6	0.1	46.1	8.1	0.3	4.9	0.0
Lake	127	18.1	0.0	80.3	0.0	0.8	0.8	0.0
Larimer	2,528	52.7	1.1	43.0	0.4	1.1	1.8	0.0
Las Animas	257	26.1	0.4	70.8	0.0	0.4	1.9	0.4
Lincoln	85	*	*	*	*	*	*	*
Logan	310	61.0	2.3	35.8	0.0	0.3	0.6	0.0
Mesa	2,222	55.8	0.6	39.4	0.4	0.5	3.4	0.0
Moffat	364	56.0	0.5	39.0	1.9	0.0	2.5	0.0
Montezuma	632	54.9	0.3	27.7	11.7	1.1	4.1	0.2
Montrose	742	37.2	0.1	55.5	1.9	0.7	4.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 9 / 13 / 12

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Morgan	834	25.7	6.7	66.1	0.1	0.2	1.2	0.0
Otero	557	23.0	0.2	75.0	0.2	0.4	1.3	0.0
Ouray	46	*	*	*	*	*	*	*
Park	138	81.9	0.0	12.3	0.0	0.7	5.1	0.0
Phillips	98	*	*	*	*	*	*	*
Pitkin	59	*	*	*	*	*	*	*
Prowers	392	27.3	0.0	70.2	1.3	0.0	1.3	0.0
Pueblo	3,435	25.3	1.7	69.8	0.3	0.1	2.8	0.1
Rio Blanco	123	61.0	0.0	27.6	3.3	2.4	4.9	0.8
Rio Grande	285	23.9	0.7	73.7	1.1	0.0	0.4	0.4
Routt	191	47.6	1.6	45.5	0.5	1.6	3.1	0.0
Saguache	191	12.6	0.0	87.4	0.0	0.0	0.0	0.0
San Miguel	96	*	*	*	*	*	*	*
Sedgwick	45	*	*	*	*	*	*	*
Summit	378	20.4	1.3	77.0	0.0	0.5	0.8	0.0
Teller	238	89.1	0.4	8.4	0.0	0.8	1.3	0.0
Washinton	43	*	*	*	*	*	*	*
Weld	2,987	26.3	3.4	67.2	0.4	1.8	0.9	0.0
Yuma	259	42.1	0.4	55.2	0.4	0.4	1.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 9 / 13 / 12

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Unknown Counties	234	46.6	0.4	50.4	1.7	0.0	0.9	0.0
Colorado	70,266	31.1	6.3	57.0	0.9	1.8	2.8	0.0
Nation (Prior Year)	8,672,965	32.5	19.1	39.7	0.9	2.5	2.7	2.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 9 / 13 / 12

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams	7,954	41.2	17.7	41.1
Alamosa	839	29.7	20.6	49.7
Arapahoe	10,037	39.0	17.9	43.1
Archuleta	243	32.1	21.0	46.9
Baca	92	*	*	*
Bent	94	*	*	*
Boulder	2,488	34.1	20.6	45.3
Broomfield	314	35.4	22.0	42.7
Chaffee	206	28.2	23.8	48.1
Clear Crk	103	33.0	26.2	40.8
Crowley	43	*	*	*
Custer	22	*	*	*
Delta	391	30.9	21.7	47.3
Denver	9,715	35.7	20.5	43.8
Dolores	36	*	*	*
Douglas	1,019	44.3	17.6	38.2
Eagle	918	29.3	23.1	47.6
El Paso	10,049	36.0	20.5	43.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 6
Run Date: 9 / 13 / 12

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Elbert	34	*	*	*
Fremont	700	36.9	18.3	44.9
Garfield	1,222	31.9	22.7	45.3
Gilpin	13	*	*	*
Grand	145	26.2	22.8	51.0
Gunnison	223	31.8	21.5	46.6
Huerfano	96	*	*	*
Jackson	24	*	*	*
Jefferson	4,596	35.8	20.7	43.5
Kiowa	12	*	*	*
La Plata	742	35.8	21.8	42.3
Lake	127	31.5	22.8	45.7
Larimer	2,528	36.3	20.5	43.2
Las Animas	257	39.3	16.3	44.4
Lincoln	85	*	*	*
Logan	310	39.4	17.4	43.2
Mesa	2,222	38.5	21.8	39.7
Moffat	364	35.4	20.3	44.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 7
Run Date: 9 / 13 / 12

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Montezuma	632	29.0	20.4	50.6
Montrose	742	35.3	18.9	45.8
Morgan	834	38.8	19.8	41.4
Otero	557	35.2	18.1	46.7
Ouray	46	*	*	*
Park	138	37.7	18.8	43.5
Phillips	98	*	*	*
Pitkin	59	*	*	*
Prowers	392	35.2	19.9	44.9
Pueblo	3,435	32.7	19.4	47.8
Rio Blanco	123	38.2	22.0	39.8
Rio Grande	285	27.4	20.0	52.6
Routt	191	36.6	17.3	46.1
Saguache	191	31.4	19.9	48.7
San Miguel	96	*	*	*
Sedgwick	45	*	*	*
Summit	378	32.8	19.3	47.9
Teller	238	34.5	22.7	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 9 / 13 / 12

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Washinton	43	*	*	*
Weld	2,987	38.9	20.1	41.0
Yuma	259	35.1	20.1	44.8
Unknown Counties	234	26.5	18.8	54.7
Colorado	70,266	36.6	19.8	43.7
Nation (Prior Year)	8,672,965	33.7	22.1	44.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 9
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature		Under- weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Adams	2,824	8.6 (6)	5.1 (17)	7,747	7.9 (23)	1.9 (6)	7.7 (25)	3,193	14.9 (14)	9.8 (15)	0	* *
Alamosa	210	9.5 (17)	1.9 (3)	658	13.1 (37)	2.1 (11)	7.6 (24)	333	18.9 (27)	12.3 (22)	0	* *
Arapahoe	3,298	11.1 (21)	4.1 (9)	9,765	7.8 (21)	3.5 (27)	7.3 (18)	4,208	12.6 (5)	9.3 (12)	0	* *
Archuleta	57	* *	* *	156	11.5 (35)	3.2 (23)	5.8 (6)	65	* *	* *	0	* *
Baca	26	* *	* *	74	* *	* *	* *	35	* *	* *	0	* *
Bent	28	* *	* *	71	* *	* *	* *	33	* *	* *	0	* *
Boulder	709	6.2 (3)	3.5 (6)	2,340	5.3 (1)	1.8 (5)	8.2 (27)	1,068	17.1 (24)	11.7 (21)	0	* *
Broomfield	95	* *	* *	291	6.9 (12)	3.4 (26)	5.8 (6)	125	13.6 (8)	9.6 (13)	0	* *
Chaffee	46	* *	* *	183	6.6 (10)	2.7 (18)	2.7 (2)	89	* *	* *	0	* *
Clear Crk	27	* *	* *	49	* *	* *	* *	16	* *	* *	0	* *
Crowley	7	* *	* *	43	* *	* *	* *	24	* *	* *	0	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 10
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)											
County	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number % (Rank)
Custer	3	* *	* *	14	* *	* *	* *	9	* *	* *	0 * *
Delta	96	* *	* *	291	9.6 (32)	4.5 (35)	6.5 (11)	142	16.2 (21)	9.2 (11)	0 * *
Denver	2,942	9.4 (15)	4.5 (13)	8,851	7.7 (20)	2.8 (20)	8.2 (27)	3,992	13.6 (8)	11.5 (20)	0 * *
Dolores	8	* *	* *	20	* *	* *	* *	7	* *	* *	0 * *
Douglas	389	9.3 (14)	4.6 (15)	997	7.3 (15)	3.5 (27)	6.6 (12)	378	15.1 (15)	8.7 (9)	0 * *
Eagle	217	11.1 (21)	3.7 (7)	549	9.8 (33)	2.0 (8)	8.2 (27)	251	15.5 (19)	10.8 (17)	0 * *
El Paso	3,099	9.9 (19)	4.5 (13)	8,486	9.0 (30)	2.5 (16)	5.3 (4)	3,703	14.0 (11)	6.2 (3)	0 * *
Elbert	14	* *	* *	33	* *	* *	* *	10	* *	* *	0 * *
Fremont	217	12.0 (23)	5.5 (19)	622	8.7 (28)	2.1 (11)	5.6 (5)	268	17.2 (25)	7.5 (4)	0 * *
Garfield	299	8.7 (7)	3.3 (4)	819	6.3 (6)	2.0 (8)	7.3 (18)	337	11.6 (3)	10.4 (16)	0 * *
Gilpin	4	* *	* *	8	* *	* *	* *	2	* *	* *	0 * *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 11
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)											
County	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number % (Rank)
Grand	32	* *	* *	90	* *	* *	* *	50	* *	* *	0 * *
Gunnison	54	* *	* *	139	6.5 (9)	3.6 (30)	8.6 (30)	58	* *	* *	0 * *
Huerfano	36	* *	* *	77	* *	* *	* *	25	* *	* *	0 * *
Jackson	8	* *	* *	18	* *	* *	* *	7	* *	* *	0 * *
Jefferson	1,493	8.2 (5)	4.4 (12)	4,231	8.8 (29)	3.3 (24)	6.8 (16)	1,819	13.0 (6)	11.3 (19)	0 * *
Kiowa	2	* *	* *	9	* *	* *	* *	4	* *	* *	0 * *
La Plata	205	7.3 (4)	6.8 (22)	478	7.9 (23)	2.1 (11)	6.1 (10)	174	11.5 (1)	7.5 (4)	0 * *
Lake	34	* *	* *	114	6.1 (4)	3.5 (27)	7.9 (26)	51	* *	* *	0 * *
Larimer	832	8.8 (8)	4.6 (15)	2,303	6.9 (12)	3.3 (24)	6.9 (17)	1,019	13.8 (10)	9.7 (14)	0 * *
Las Animas	91	* *	* *	232	7.3 (15)	4.3 (33)	9.9 (35)	98	* *	* *	0 * *
Lincoln	28	* *	* *	82	* *	* *	* *	36	* *	* *	0 * *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 12
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)											
County	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number % (Rank)
Logan	100	9.0 (10)	10.0 (23)	303	6.3 (6)	2.0 (8)	9.9 (35)	130	11.5 (1)	13.8 (26)	0 * *
Mesa	742	8.8 (8)	3.4 (5)	2,110	7.6 (18)	2.2 (14)	9.1 (32)	796	15.1 (15)	13.2 (24)	0 * *
Moffat	106	9.4 (15)	5.7 (20)	236	5.5 (2)	6.4 (37)	5.9 (8)	83	* *	* *	0 * *
Montezuma	128	5.5 (2)	3.9 (8)	368	8.2 (26)	4.3 (33)	7.3 (18)	190	15.3 (18)	7.9 (7)	0 * *
Montrose	220	9.1 (11)	4.1 (9)	687	7.6 (18)	2.6 (17)	7.3 (18)	330	16.4 (22)	6.1 (2)	0 * *
Morgan	286	5.2 (1)	5.2 (18)	805	6.3 (6)	1.1 (1)	9.1 (32)	338	14.5 (12)	10.9 (18)	0 * *
Otero	169	9.5 (17)	1.2 (1)	533	9.2 (31)	1.9 (6)	6.6 (12)	252	16.7 (23)	8.7 (9)	0 * *
Ouray	9	* *	* *	28	* *	* *	* *	16	* *	* *	0 * *
Park	46	* *	* *	106	7.5 (17)	2.8 (20)	6.6 (12)	43	* *	* *	0 * *
Phillips	26	* *	* *	93	* *	* *	* *	47	* *	* *	0 * *
Pitkin	20	* *	* *	39	* *	* *	* *	11	* *	* *	0 * *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 13
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)											
County	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number % (Rank)
Prowers	117	10.3 (20)	1.7 (2)	332	7.8 (21)	1.2 (2)	7.5 (22)	152	17.8 (26)	8.6 (8)	0 * *
Pueblo	1,033	9.2 (13)	4.1 (9)	3,273	8.6 (27)	1.7 (4)	10.4 (37)	1,584	15.2 (17)	12.9 (23)	0 * *
Rio Blanco	38	* *	* *	86	* *	* *	* *	31	* *	* *	0 * *
Rio Grande	66	* *	* *	198	6.1 (4)	4.0 (32)	8.6 (30)	106	12.3 (4)	14.2 (27)	0 * *
Routt	59	* *	* *	128	7.0 (14)	7.8 (38)	1.6 (1)	51	* *	* *	0 * *
Saguache	48	* *	* *	164	13.4 (38)	3.0 (22)	6.7 (15)	88	* *	* *	0 * *
San Miguel	18	* *	* *	61	* *	* *	* *	29	* *	* *	0 * *
Sedgwick	15	* *	* *	39	* *	* *	* *	17	* *	* *	0 * *
Summit	97	* *	* *	286	10.5 (34)	3.8 (31)	3.5 (3)	137	14.6 (13)	5.1 (1)	0 * *
Teller	68	* *	* *	188	11.7 (36)	5.3 (36)	5.9 (8)	75	* *	* *	0 * *
Washinton	17	* *	* *	41	* *	* *	* *	15	* *	* *	0 * *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 14
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Weld	995	9.1 (11)	6.1 (21)	2,693	8.1 (25)	2.7 (18)	9.8 (34)	1,141	15.6 (20)	13.3 (25)	0	* *
Yuma	74	* *	* *	255	6.7 (11)	1.2 (2)	7.5 (22)	115	29.6 (28)	7.8 (6)	0	* *
Unknown Counties	55	* *	* *	220	5.9 (3)	2.3 (15)	10.5 (38)	123	13.0 (6)	16.3 (28)	0	* *
Colorado	21,982	9.4	4.4	63,112	8.0	2.7	7.5	27,529	14.2	10.0	0	*
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,939	16.1	14.4	5,391,027	14.6

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 15
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
County	Number	% Ever Breastfed	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number	% (Rank)
Adams	2,376	74.1 (14)	0 * *	0 * *	0 * *	0 * *	2,515 77.1 (24)	6,196	4.6 (26)
Alamosa	208	66.3 (19)	0 * *	0 * *	0 * *	0 * *	339 85.8 (9)	766	1.8 (10)
Arapahoe	2,957	80.9 (9)	0 * *	0 * *	0 * *	0 * *	2,996 82.1 (16)	7,037	1.9 (11)
Archuleta	44	* *	0 * *	0 * *	0 * *	0 * *	60 * *	125	2.4 (16)
Baca	26	* *	0 * *	0 * *	0 * *	0 * *	47 * *	91	* *
Bent	27	* *	0 * *	0 * *	0 * *	0 * *	38 * *	61	* *
Boulder	652	89.1 (2)	0 * *	0 * *	0 * *	0 * *	747 89.8 (5)	1,625	0.7 (5)
Broomfield	87	* *	0 * *	0 * *	0 * *	0 * *	99 * *	237	2.1 (13)
Chaffee	46	* *	0 * *	0 * *	0 * *	0 * *	84 * *	142	2.8 (20)
Clear Crk	22	* *	0 * *	0 * *	0 * *	0 * *	3 * *	31	* *
Crowley	7	* *	0 * *	0 * *	0 * *	0 * *	24 * *	38	* *
Custer	3	* *	0 * *	0 * *	0 * *	0 * *	0 * *	5	* *
Delta	98	* *	0 * *	0 * *	0 * *	0 * *	116 80.2 (20)	257	0.0 (1)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 16
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
County	Number	% Ever Breastfed		Number	% Breastfed At Least 6 Months		Number	%	
		(Rank)			(Rank)			(Rank)	
Denver	2,878	83.5 (5)		0	* *		3,443	83.4 (14)	8,022 2.1 (13)
Dolores	7	* *		0	* *		7	* *	20 * *
Douglas	344	81.7 (8)		0	* *		170	88.8 (6)	481 5.0 (32)
Eagle	180	87.8 (3)		0	* *		208	85.6 (10)	578 0.5 (3)
El Paso	2,971	72.8 (16)		0	* *		2,339	84.2 (12)	6,282 2.7 (19)
Elbert	15	* *		0	* *		4	* *	19 * *
Fremont	201	69.7 (18)		0	* *		154	91.6 (2)	373 3.8 (23)
Garfield	270	91.5 (1)		0	* *		147	75.5 (25)	587 3.4 (22)
Gilpin	4	* *		0	* *		0	* *	3 * *
Grand	23	* *		0	* *		39	* *	73 * *
Gunnison	46	* *		0	* *		48	* *	124 4.8 (31)
Huerfano	34	* *		0	* *		33	* *	83 * *
Jackson	7	* *		0	* *		6	* *	13 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 17
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
County	Number	% Ever Breastfed	Number % Breastfed At Least 6 Months	Number % Breastfed At Least 12 Months	Number % Breastfed At Least 3 Months	Number % Breastfed At Least 6 Months	Number %	Number	%
		(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		(Rank)
Jefferson	1,319	77.7 (12)	0 * *	0 * *	0 * *	0 * *	1,221 82.0 (17)	2,879	2.5 (18)
Kiowa	2	* *	0 * *	0 * *	0 * *	0 * *	2 * *	5	* *
La Plata	168	85.7 (4)	0 * *	0 * *	0 * *	0 * *	148 90.5 (3)	368	1.6 (8)
Lake	34	* *	0 * *	0 * *	0 * *	0 * *	55 * *	105	18.1 (36)
Larimer	791	83.3 (6)	0 * *	0 * *	0 * *	0 * *	575 88.2 (7)	1,791	1.9 (11)
Las Animas	85	* *	0 * *	0 * *	0 * *	0 * *	88 * *	182	3.3 (21)
Lincoln	26	* *	0 * *	0 * *	0 * *	0 * *	35 * *	75	* *
Logan	66	* *	0 * *	0 * *	0 * *	0 * *	118 98.3 (1)	237	4.6 (26)
Mesa	697	82.6 (7)	0 * *	0 * *	0 * *	0 * *	485 83.5 (13)	998	2.4 (16)
Moffat	88	* *	0 * *	0 * *	0 * *	0 * *	64 * *	200	4.5 (25)
Montezuma	103	80.6 (10)	0 * *	0 * *	0 * *	0 * *	148 79.7 (22)	315	6.7 (34)
Montrose	172	72.7 (17)	0 * *	0 * *	0 * *	0 * *	189 89.9 (4)	491	11.0 (35)
Morgan	210	60.0 (21)	0 * *	0 * *	0 * *	0 * *	302 80.8 (19)	635	5.4 (33)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 18
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)	
Otero	146	61.0 (20)	0 * *	0 * *	0 * *	0 * *	218 79.8 (21)	435 4.6 (26)	
Ouray	6	* *	0 * *	0 * *	0 * *	0 * *	11 * *	15 * *	
Park	40	* *	0 * *	0 * *	0 * *	0 * *	24 * *	84 * *	
Phillips	21	* *	0 * *	0 * *	0 * *	0 * *	37 * *	60 * *	
Pitkin	18	* *	0 * *	0 * *	0 * *	0 * *	10 * *	39 * *	
Prowers	114	78.9 (11)	0 * *	0 * *	0 * *	0 * *	148 85.1 (11)	285 1.1 (7)	
Pueblo	936	73.5 (15)	0 * *	0 * *	0 * *	0 * *	1,475 81.2 (18)	2,756 4.7 (30)	
Rio Blanco	31	* *	0 * *	0 * *	0 * *	0 * *	19 * *	65 * *	
Rio Grande	67	* *	0 * *	0 * *	0 * *	0 * *	134 73.1 (27)	240 4.2 (24)	
Routt	45	* *	0 * *	0 * *	0 * *	0 * *	32 * *	95 * *	
Saguache	47	* *	0 * *	0 * *	0 * *	0 * *	81 * *	164 0.0 (1)	
San Miguel	16	* *	0 * *	0 * *	0 * *	0 * *	27 * *	45 * *	
Sedgwick	14	* *	0 * *	0 * *	0 * *	0 * *	12 * *	27 * *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 20
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature			Under- weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Adams	9,375	9.0 (16)	4.8 (35)	35,276	7.9 (22)	1.9 (13)	7.7 (32)	15,210	15.5 (37)	9.1 (23)	16,282	13.9 (31)
Alamosa	809	12.1 (33)	2.1 (9)	3,219	12.2 (53)	2.3 (24)	7.7 (32)	1,499	17.3 (45)	11.9 (38)	1,620	16.5 (39)
Arapahoe	11,523	9.7 (24)	4.6 (31)	44,843	7.6 (18)	3.3 (40)	8.0 (36)	19,516	12.7 (14)	9.2 (24)	22,260	14.9 (34)
Archuleta	200	9.5 (20)	2.5 (10)	727	12.4 (54)	2.8 (34)	4.0 (5)	323	8.7 (2)	4.0 (4)	134	19.4 (44)
Baca	68	* *	* *	285	8.1 (27)	4.6 (50)	8.8 (40)	137	16.8 (44)	12.4 (41)	129	17.1 (43)
Bent	108	9.3 (19)	2.8 (15)	433	10.4 (48)	2.5 (30)	9.5 (48)	197	17.3 (45)	12.7 (43)	224	7.1 (8)
Boulder	2,740	7.0 (4)	5.2 (38)	11,747	5.9 (6)	1.7 (6)	9.0 (43)	5,502	16.2 (39)	12.1 (39)	5,914	10.8 (21)
Broomfield	363	6.6 (3)	5.8 (40)	1,478	8.7 (36)	2.4 (28)	5.5 (17)	634	12.3 (11)	8.4 (20)	684	12.7 (28)
Chaffee	190	12.1 (33)	2.6 (11)	740	10.1 (45)	3.1 (37)	2.0 (2)	304	8.6 (1)	2.3 (2)	337	3.3 (2)
Cheyenne	74	* *	* *	400	10.3 (47)	3.0 (36)	9.8 (50)	209	12.4 (12)	12.9 (44)	268	8.2 (12)
Clear Crk	91	* *	* *	312	8.3 (30)	4.8 (53)	1.9 (1)	123	11.4 (8)	0.8 (1)	106	3.8 (3)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 21
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)											
County	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number % (Rank)
Costilla	0	* *	* *	6	* *	* *	* *	4	* *	* *	5 * *
Crowley	18	* *	* *	84	* *	* *	* *	41	* *	* *	29 * *
Custer	18	* *	* *	90	* *	* *	* *	43	* *	* *	42 * *
Delta	375	11.5 (31)	4.3 (26)	1,478	6.7 (12)	3.4 (41)	7.0 (26)	689	13.4 (22)	9.3 (26)	692 12.9 (29)
Denver	12,083	9.5 (20)	4.8 (35)	45,143	7.8 (20)	2.3 (24)	8.1 (37)	19,094	14.4 (29)	10.6 (33)	22,591 11.3 (23)
Dolores	31	* *	* *	117	13.7 (55)	0.9 (2)	3.4 (4)	52	* *	* *	57 * *
Douglas	1,297	11.5 (31)	4.9 (37)	4,468	7.8 (20)	3.5 (42)	5.7 (19)	1,731	13.3 (20)	6.4 (8)	1,889 8.8 (13)
Eagle	793	7.9 (8)	3.4 (19)	2,729	8.5 (34)	1.4 (5)	9.9 (51)	1,111	16.6 (43)	12.2 (40)	1,339 20.8 (45)
El Paso	10,979	10.2 (27)	4.0 (25)	42,287	9.3 (39)	2.0 (16)	5.4 (13)	18,848	13.9 (26)	5.7 (7)	20,451 15.3 (35)
Elbert	55	* *	* *	204	7.4 (14)	2.0 (16)	5.4 (13)	82	* *	* *	99 * *
Fremont	687	9.8 (26)	3.6 (21)	2,932	7.9 (22)	1.9 (13)	5.5 (17)	1,371	14.9 (33)	6.4 (8)	1,392 10.8 (21)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 22
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature			Under- weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Garfield	1,077	7.9 (8)	4.5 (29)	3,875	7.0 (13)	1.7 (6)	8.2 (38)	1,562	14.1 (28)	9.2 (24)	1,679	7.9 (10)
Gilpin	19	* *	* *	75	* *	* *	* *	21	* *	* *	25	* *
Grand	127	15.7 (39)	3.1 (18)	464	10.1 (45)	3.2 (38)	4.3 (7)	206	13.1 (17)	5.3 (5)	245	7.8 (9)
Gunnison	172	7.6 (7)	2.9 (16)	682	6.6 (10)	2.9 (35)	5.9 (20)	306	11.8 (9)	8.5 (21)	343	16.3 (38)
Huerfano	129	14.7 (37)	1.6 (5)	422	9.7 (43)	2.4 (28)	9.2 (46)	159	14.5 (30)	9.4 (28)	159	32.1 (48)
Jackson	17	* *	* *	71	* *	* *	* *	37	* *	* *	31	* *
Jefferson	5,027	9.7 (24)	4.4 (27)	19,282	8.2 (28)	2.5 (30)	6.7 (24)	8,170	13.8 (23)	9.7 (29)	9,074	10.7 (20)
Kiowa	13	* *	* *	60	* *	* *	* *	21	* *	* *	30	* *
Kit Carson	65	* *	* *	406	5.4 (4)	2.5 (30)	8.9 (42)	209	16.3 (41)	13.4 (45)	294	6.1 (7)
La Plata	676	8.6 (15)	4.4 (27)	2,337	7.4 (14)	2.1 (18)	5.3 (11)	884	14.6 (31)	7.6 (14)	1,040	12.0 (24)
Lake	171	15.2 (38)	0.6 (1)	733	9.7 (43)	3.8 (44)	4.8 (9)	323	8.7 (2)	6.5 (11)	320	12.2 (26)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 23
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature			Under-weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Larimer	3,047	9.2 (18)	4.6 (31)	11,487	7.9 (22)	2.6 (33)	7.3 (30)	5,020	13.8 (23)	10.0 (31)	5,489	12.4 (27)
Las Animas	294	8.5 (13)	1.4 (4)	1,122	8.6 (35)	2.1 (18)	8.8 (40)	494	12.8 (15)	12.6 (42)	544	16.2 (37)
Lincoln	109	11.0 (29)	0.9 (3)	420	7.9 (22)	1.7 (6)	7.1 (28)	186	12.4 (12)	10.8 (34)	213	5.2 (5)
Logan	381	8.4 (12)	6.6 (42)	1,591	7.5 (17)	2.1 (18)	9.6 (49)	714	18.2 (48)	14.4 (47)	827	12.0 (24)
Mesa	2,583	8.0 (11)	3.9 (23)	9,356	7.4 (14)	2.3 (24)	8.2 (38)	3,660	13.2 (18)	11.4 (36)	3,970	14.8 (33)
Moffat	340	9.1 (17)	3.5 (20)	1,181	7.6 (18)	3.5 (42)	5.9 (20)	453	13.2 (18)	9.3 (26)	546	16.7 (40)
Montezuma	459	7.4 (6)	4.6 (31)	1,871	9.6 (40)	3.2 (38)	6.5 (22)	893	11.2 (7)	7.7 (15)	926	9.9 (17)
Montrose	831	10.2 (27)	3.9 (23)	3,929	8.4 (33)	2.1 (18)	7.8 (35)	1,969	14.0 (27)	6.4 (8)	487	9.4 (16)
Morgan	920	5.3 (1)	4.5 (29)	3,621	6.2 (8)	0.9 (2)	9.1 (45)	1,599	15.3 (36)	9.8 (30)	1,733	9.2 (14)
Otero	564	11.0 (29)	2.7 (14)	2,596	8.3 (30)	1.7 (6)	7.0 (26)	1,296	17.6 (47)	8.3 (19)	1,390	8.0 (11)
Ouray	26	* *	* *	114	7.9 (22)	4.4 (49)	5.3 (11)	57	* *	* *	55	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 24
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature Under-weight Obese				≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Park	128	16.4 (40)	1.6 (5)	492	11.2 (51)	4.7 (52)	4.3 (7)	219	10.0 (4)	5.5 (6)	170	13.5 (30)
Phillips	94	* *	* *	446	5.6 (5)	1.3 (4)	11.7 (54)	230	16.5 (42)	13.9 (46)	242	5.8 (6)
Pitkin	61	* *	* *	186	2.2 (1)	4.8 (53)	4.8 (9)	67	* *	* *	78	* *
Prowers	380	7.1 (5)	4.7 (34)	1,609	6.2 (8)	1.7 (6)	11.1 (53)	746	16.2 (39)	16.0 (48)	845	9.9 (17)
Pueblo	3,705	9.5 (20)	3.6 (21)	15,210	9.1 (38)	1.9 (13)	9.2 (46)	7,125	14.6 (31)	11.1 (35)	7,865	9.2 (14)
Rio Blanco	114	7.9 (8)	2.6 (11)	418	4.3 (3)	3.8 (44)	7.7 (32)	181	13.3 (20)	10.5 (32)	214	15.4 (36)
Rio Grande	260	9.6 (23)	0.8 (2)	1,091	9.6 (40)	4.1 (48)	5.4 (13)	515	13.8 (23)	7.8 (16)	562	3.2 (1)
Routt	170	14.1 (36)	2.9 (16)	546	10.6 (49)	5.5 (55)	4.2 (6)	199	10.1 (5)	7.5 (13)	188	17.0 (42)
Saguache	156	17.9 (42)	2.6 (11)	739	9.6 (40)	3.8 (44)	5.4 (13)	397	15.1 (34)	7.3 (12)	395	22.8 (46)
San Miguel	57	* *	* *	272	8.8 (37)	2.2 (23)	6.6 (23)	127	11.8 (9)	8.7 (22)	132	16.7 (40)
Sedgwick	35	* *	* *	166	6.6 (10)	1.8 (12)	13.3 (55)	82	* *	* *	89	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 25
Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature			Under- weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Summit	313	12.5 (35)	1.9 (7)	1,355	10.6 (49)	4.6 (50)	6.9 (25)	607	15.2 (35)	8.1 (17)	782	24.4 (47)
Teller	248	16.5 (41)	2.0 (8)	938	12.0 (52)	3.8 (44)	3.0 (3)	391	10.7 (6)	3.8 (3)	450	14.2 (32)
Washinton	44	* *	* *	181	8.3 (30)	1.7 (6)	7.2 (29)	88	* *	* *	88	* *
Weld	3,823	8.5 (13)	5.6 (39)	12,840	8.2 (28)	2.1 (18)	9.0 (43)	4,901	15.9 (38)	11.8 (37)	5,931	10.6 (19)
Yuma	249	6.0 (2)	6.4 (41)	1,101	4.1 (2)	0.8 (1)	7.6 (31)	523	22.0 (49)	8.2 (18)	585	4.4 (4)
Unknown Counties	55	* *	* *	220	5.9 (6)	2.3 (24)	10.5 (52)	123	13.0 (16)	16.3 (49)	0	* *
Colorado	78,816	9.4	4.4	302,503	8.1	2.4	7.5	131,480	14.3	9.3	144,580	12.8

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 26
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Adams	11,144	73.9 (29)	8,934	23.6 (31)	6,187	14.9 (27)	2,705	23.9 (20)	2,228	12.3 (19)	2,515	77.1 (24)	6,189	4.6 (27)
Alamosa	1,050	65.9 (39)	842	27.4 (26)	646	18.7 (17)	305	27.5 (13)	259	18.5 (9)	339	85.8 (9)	768	2.0 (12)
Arapahoe	14,196	80.5 (21)	11,755	28.4 (24)	7,939	17.2 (21)	3,457	27.4 (14)	2,927	14.5 (16)	2,996	82.1 (16)	7,036	1.8 (10)
Archuleta	240	87.9 (9)	173	39.3 (10)	133	22.6 (9)	43	* *	38	* *	60	* *	125	2.4 (16)
Baca	93	* *	74	* *	58	* *	35	* *	26	* *	47	* *	91	* *
Bent	129	71.3 (34)	99	* *	84	* *	30	* *	20	* *	38	* *	61	* *
Boulder	3,427	88.4 (7)	2,772	39.8 (9)	2,026	26.0 (7)	716	36.3 (6)	629	21.5 (5)	747	89.8 (5)	1,626	0.7 (5)
Broomfield	467	82.9 (16)	367	35.1 (15)	280	19.3 (16)	96	* *	80	* *	99	* *	235	2.1 (13)
Chaffee	270	84.1 (15)	218	41.7 (8)	152	22.4 (10)	64	* *	58	* *	84	* *	143	2.8 (20)
Cheyenne	81	* *	73	* *	65	* *	0	* *	0	* *	0	* *	0	* *
Clear Crk	123	87.0 (11)	87	* *	75	* *	22	* *	14	* *	3	* *	31	* *
Crowley	35	* *	26	* *	19	* *	15	* *	14	* *	24	* *	39	* *
Custer	28	* *	24	* *	22	* *	7	* *	7	* *	0	* *	5	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 27
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number	% (Rank)
Delta	526	81.9 (17)	387 28.7 (23)	289 20.1 (13)	153 25.5 (18)	128 16.4 (12)	116 80.2 (20)	258	0.0 (1)
Denver	14,886	79.7 (23)	11,522 27.1 (27)	8,180 16.0 (26)	3,343 29.2 (12)	2,843 16.3 (13)	3,443 83.4 (14)	8,038	2.2 (14)
Dolores	34	* *	27 * *	23 * *	6 * *	6 * *	7 * *	20	* *
Douglas	1,602	79.5 (24)	1,224 33.8 (16)	826 22.3 (11)	346 35.8 (7)	282 21.3 (6)	170 88.8 (6)	480	5.2 (32)
Eagle	975	92.7 (2)	808 44.1 (5)	577 19.8 (14)	221 48.0 (2)	198 30.3 (2)	208 85.6 (10)	578	0.5 (3)
El Paso	14,429	71.1 (35)	10,874 26.8 (28)	7,928 16.7 (25)	3,627 24.8 (19)	3,081 13.4 (18)	2,339 84.2 (12)	6,286	2.6 (19)
Elbert	69	* *	47 * *	31 * *	18 * *	14 * *	4 * *	18	* *
Fremont	890	73.1 (32)	760 28.2 (25)	538 18.2 (19)	234 31.2 (10)	193 17.1 (11)	154 91.6 (2)	374	4.0 (24)
Garfield	1,391	93.0 (1)	1,100 45.1 (4)	768 26.4 (6)	346 48.0 (2)	297 33.0 (1)	147 75.5 (25)	589	3.6 (23)
Gilpin	27	* *	19 * *	20 * *	4 * *	4 * *	0 * *	3	* *
Grand	155	88.4 (7)	136 38.2 (11)	87 * *	31 * *	30 * *	39 * *	73	* *
Gunnison	218	92.7 (2)	197 55.3 (1)	153 32.0 (2)	48 * *	43 * *	48 * *	124	4.0 (24)
Huerfano	153	73.2 (31)	112 19.6 (36)	77 * *	39 * *	31 * *	33 * *	86	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 28
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number	% (Rank)
Jackson	21	* *	14 * *	10 * *	10 * *	7 * *	6 * *	13	* *
Jefferson	6,228	75.7 (27)	5,220 26.6 (29)	3,938 17.0 (23)	1,518 27.4 (14)	1,318 14.4 (17)	1,221 82.0 (17)	2,873	2.5 (17)
Kiowa	21	* *	18 * *	14 * *	6 * *	6 * *	2 * *	5	* *
Kit Carson	73	* *	78 * *	65 * *	0 * *	0 * *	0 * *	0	* *
La Plata	831	87.2 (10)	657 37.1 (13)	436 23.9 (8)	195 40.0 (4)	162 22.8 (4)	148 90.5 (3)	369	1.4 (8)
Lake	218	54.6 (44)	200 37.0 (14)	151 32.5 (1)	50 * *	47 * *	55 * *	105	18.1 (36)
Larimer	3,796	81.8 (18)	2,947 30.9 (19)	2,160 18.4 (18)	846 31.0 (11)	703 18.6 (8)	575 88.2 (7)	1,791	1.9 (11)
Las Animas	355	61.1 (40)	279 18.3 (38)	204 12.7 (30)	97 * *	68 * *	88 * *	182	3.3 (21)
Lincoln	128	78.9 (25)	107 31.8 (17)	78 * *	28 * *	28 * *	35 * *	74	* *
Logan	438	73.1 (32)	376 21.0 (34)	276 10.5 (33)	89 * *	80 * *	118 98.3 (1)	237	4.6 (27)
Mesa	3,251	81.7 (19)	2,611 24.8 (30)	1,806 13.8 (28)	863 27.1 (16)	728 15.9 (14)	485 83.5 (13)	998	2.5 (17)
Moffat	397	85.9 (14)	323 29.7 (20)	227 17.2 (21)	99 * *	73 * *	64 * *	200	5.0 (31)
Montezuma	598	86.1 (13)	449 43.4 (6)	358 30.4 (4)	120 36.7 (5)	100 28.0 (3)	148 79.7 (22)	313	6.7 (34)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 29
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)		Number % (Rank)	
Montrose	1,029	76.5 (26)	861 29.7 (20)	696 17.5 (20)	220 31.8 (9)	197 17.8 (10)	189 89.9 (4)		491 11.0 (35)	
Morgan	1,054	60.5 (42)	885 16.0 (41)	654 4.9 (35)	261 26.8 (17)	221 14.9 (15)	302 80.8 (19)		634 5.4 (33)	
Otero	683	56.4 (43)	547 16.8 (40)	450 11.1 (32)	162 16.7 (23)	145 8.3 (21)	218 79.8 (21)		434 4.4 (26)	
Ouray	36	* *	31 * *	24 * *	11 * *	10 * *	11 * *		15 * *	
Park	168	79.8 (22)	135 43.0 (7)	93 * *	37 * *	33 * *	24 * *		83 * *	
Phillips	123	88.6 (6)	94 * *	75 * *	30 * *	25 * *	37 * *		59 * *	
Pitkin	76	* *	60 * *	36 * *	20 * *	15 * *	10 * *		39 * *	
Prowers	490	75.1 (28)	425 17.4 (39)	307 12.4 (31)	143 16.1 (24)	120 4.2 (22)	148 85.1 (11)		284 1.1 (7)	
Pueblo	4,511	70.1 (36)	3,731 20.6 (35)	2,911 12.9 (29)	1,096 21.7 (21)	934 11.5 (20)	1,475 81.2 (18)		2,751 4.7 (30)	
Rio Blanco	139	81.3 (20)	104 37.5 (12)	67 * *	34 * *	28 * *	19 * *		64 * *	
Rio Grande	345	60.6 (41)	289 18.7 (37)	195 7.2 (34)	103 17.5 (22)	90 * *	134 73.1 (27)		236 3.4 (22)	
Routt	197	92.4 (4)	148 51.4 (2)	94 * *	30 * *	20 * *	32 * *		95 * *	
Saguache	213	69.5 (37)	176 23.3 (32)	133 19.5 (15)	65 * *	59 * *	81 * *		164 0.0 (1)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Page: 30
Run Date: 9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)								
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
San Miguel	79	* *	73	* *	62	* *	20	* *
Sedgwick	49	* *	40	* *	34	* *	17	* *
Summit	387	89.9 (5)	318	50.3 (3)	241	30.7 (3)	101	63.4 (1)
Teller	338	86.7 (12)	271	31.7 (18)	181	26.5 (5)	99	* *
Washinton	56	* *	50	* *	32	* *	18	* *
Weld	4,737	73.5 (30)	3,657	29.6 (22)	2,568	20.2 (12)	1,031	32.6 (8)
Yuma	321	68.8 (38)	264	22.0 (33)	189	16.9 (24)	98	* *
Unknown Counties	90	* *	59	* *	37	* *	54	* *
Colorado	98,114	77.1	78,154	28.0	55,985	17.2	23,482	28.3
							19,863	15.9
							20,613	82.5
								48,946
								2.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

